



A SAFE AND EFFECTIVE TREATMENT FOR FEMININE HEALTH

FORMA V

FormaV delivers gentle thermal tissue remodeling that is safe and effective. FormaV is a comfortable treatment that provides uniform RF heating of the internal vaginal tissue and external vulvar laxity or labial hypertrophy.

Number of Treatments	Cost
Single Treatment	\$1,350
Package of Three	\$2,650

FRACTORA V

FractoraV delivers fractional tissue coagulation and is designed for remodeling areas such as the labia majora and minora.

Number of Treatments	Cost
Single Treatment	\$750

AVIVA

Aviva, powered by AccuTite, is a minimally invasive procedure to restore the function and appearance of the vulva by offering a non-excisional alternative to a labiaplasty.

Number of Treatments	Cost
Single Treatment	\$4,000-\$5,000

MORPHEUS8

Treatment Area	Treatment Sessions	Cost
Face and Neck	3	\$2,895
Face and Neck	1	\$1,000
Chest	3	\$1,150
Chest	1	\$500
Scars	3	\$1,300
Scars	1	\$700
Stretch Marks	3	\$1,700
Stretch Marks	1	\$700
Eyes	3	\$550
Eyes	1	\$250
Lips	3	\$550
Lips	1	\$250
Eyes & Lips	3	\$900
Eyes & Lips	1	\$395
Knees (4mm)	3	\$2,875
Knees (4mm)	1	\$1,025

I would charge slightly more for the treatment when you adjust the settings to 4mm in depth because you are not only correcting textural concerns, but also getting fat melting

****Pricing may vary depending on your city, demographics and market position. Individual results may also vary****



VOTIVA

PLATINUM RESTORE

Vaginal Health	Treatment Sessions	Retail Cost	Platinum Price
FormaV	3	\$2,650	
FractoraV	1	\$750	
Face & Neck	3	\$2,500	
Surgical Scars	4	\$1,850	
Stretch Marks	4	\$2,500	
Total:	18 Total Treatments	\$10,255	\$7,695 (25%)

GOLD STANDARD

Vaginal Health	Treatment Sessions	Retail Cost	Gold Price
FormaV	3	\$2,650	
FractoraV	1	\$750	
Face & Neck	3	\$2,500	
Total:	10 Total Treatments	\$5,900	\$5,015 (15%)

STARTER PACK

Vaginal Health	Treatment Sessions	Retail Cost	Starter Price
FormaV	3	\$2,650	
FractoraV	1	\$750	
Total:	4 Total Treatments	\$3,400	\$3,000 (\$400 off)



VOTIVA

by INMODE

A SAFE AND EFFECTIVE TREATMENT FOR FEMININE HEALTH

FORMA V

FormaV delivers gentle thermal tissue remodeling that is safe and effective. FormaV is a comfortable treatment that provides uniform RF heating of the internal vaginal tissue and external vulvar laxity or labial hypertrophy.

Number of Treatments	Cost
Single Treatment	\$1,350
Package of Three	\$2,650

FRACTORA V

FractoraV delivers fractional tissue coagulation and is designed for remodeling areas such as the labia majora and minora.

Number of Treatments	Cost
Single Treatment	\$750

OTHER USES

Treatment Area	Number of Treatments	Cost
Face & Neck	3	\$2,500
Face	3	\$1,450
Neck	3	\$1,450
Acne	4	\$1,750
Stretch Marks	4	\$2,500
Scars	4	\$1,850
Hyperhidrosis	2	\$2,500

****Pricing may vary depending on your city, demographics and market position. Individual results may also vary****

SAMPLE PATIENT INTAKE FORM

Personal Information			
[Redacted]		[Redacted]	
[Redacted]		[Redacted]	
[Redacted]		[Redacted]	
[Redacted]		[Redacted]	
[Redacted]			
[Redacted]	I II III IV V VI		

Gynecological History	
[Redacted]	_____ (mm/dd/yy)
[Redacted]	<input type="radio"/> Normal <input type="radio"/> Abnormal
[Redacted]	<input type="radio"/> No <input type="radio"/> Yes, if so nature of diagnosis, treatment & follow up
[Redacted]	_____ (mm/dd/yy)
[Redacted]	

Medical History	
[Redacted]	
[Redacted]	
[Redacted]	

CONTRAINDICATIONS:

- Vaginal or Pelvic area surgery within the last 12 months.
- Metal implants in the treatment area
- History of genital herpes
- Active lesions in the treatment area
- UTI
- Pelvic infection
- Active malignancy or cancer treatment within the last five years
- Melanoma history
- Dysplastic nevi in the treatment zone
- Pelvic lymph node dissection or poor lower lymphatic drainage
- Significant illness such as diabetes, cardiac disease, autoimmune disease
- History of epidermal or dermal disorders involving collagen or microvasculature
- Active electrical implant in any region of the body
- Pregnancy and nursing
- Diseases of the immune system such as HIV, AIDS or immunosuppressive med
- Diseases which may be stimulated by light at the wavelengths used
- Use of anticoagulants or history of bleeding disorders
- Any active condition in the treatment area, such as open lacerations, abrasions or lesions, psoriasis, eczema or rashes
- History of skin disorders, keloids, abnormal wound healing
- Surgical procedure in the treatment area within the last three months
- Tattoo in the treatment area
- History of Accutane use in the previous 6 months
- History of oral corticosteroid use in previous 6 months
- Excessively tanned skin in the treatment area from sun, sun-beds or tanning creams

Sample Informed Consent Votiva

Internal Vaginal and External Labial Treatment

Below is a **sample** Informed Consent Form for regular patients or for volunteer patients for training. Invasix/InMode provides these forms for demonstration only and does not accept any liability for their contents. It is essential that each clinic customize Consent Forms according to treatment procedure, local specific requirements and language.

Patient Name: _____

I duly authorize _____ and clinical staff to perform the Votiva treatment.

I understand the Votiva is used for the remodeling of the skin in the vaginal and vulvar regions and the external skin of the labia. I understand there is a possibility of short term effects such as pain, discomfort, reddening, blistering, scabbing, swelling, temporary bruising and temporary discoloration of the skin, as well as rare side effects such as scarring and permanent discoloration. This treatment has the potential to cause skin damage, so infection is possible. Infection is unlikely, but can be life threatening if it does occur and is left untreated. Signs and symptoms of infection are redness, fever, pain, pus and swelling. If infection occurs or you suspect you may be developing signs of infection, you should contact the doctor for immediate evaluation and treatment. These effects have been fully explained to me (____ patient initials).

Invasix/InMode has determined that the Votiva device used for the treatment of Vulvovaginal treatment is a non-significant risk device. The risks associated with use of the Votiva device have been demonstrated to be minimal and are limited to the skin surface. Potential risks include but are not limited to:

1. Twinge/Soreness (pain) – you may experience pain after the procedure. If you feel significant discomfort after the treatment, you may apply OTC pain relief to minimize that pain.
2. Swelling – the study treatments may cause swelling, which usually go away in one week or less.
3. Bruising – you may experience some temporary bruising in the treated area which will subside with healing.
4. Ecchymosis & Purpura – you may experience some temporary ecchymosis in the treated area which will subside with healing.
5. Blistering/Bullae – you may experience some temporary blistering/bullae in the treated area which will subside with healing.
6. Burn – you may experience burn in different degrees in the treated area which will subside with healing.
7. Infection – this treatment has the potential to cause skin damage, so infection is possible, including a urinary tract infection. Infection is unlikely, but can be life threatening if it does occur and is left untreated, signs and symptoms of infection are redness, fever, pain, pus and swelling. Should infection occur, you should contract the study doctor for immediate evaluation and treatment. Any antibiotics required for an infection will be provided by the study doctor.

It is important that you tell your doctor if you think you have experienced any of these side effects.

- I understand that clinical results may vary depending on individual factors, including but not limited to medical history, skin type, patient compliance with pre- and post-treatment instructions, and individual respond to treatment [REDACTED] (patient initial)
- I understand that treatment with Votiva involves a series of treatments and the fee structure has been fully explained to me [REDACTED] (patient initial)
- I certify that I have been fully informed of the nature and purpose of the procedure, expected outcomes and possible complication, and I understand that no guarantee can be given as to the final result obtained. I am fully aware that my condition is of an elective concern and that the decision to proceed is based solely on my expressed desire to do so [REDACTED] (patient initial)
- I confirm that I have informed the staff regarding any current or past medical condition, disease or medication taken and I confirm that I have had a normal and up-to-date PAP test [REDACTED] (patient initial)
- I consent to the taking of photographs and authorize their anonymous use for the purpose of medical audit, education and promotion [REDACTED] (patient initial)
- I certify that I have been given the opportunity to ask questions and that I have read and fully understand the contents of this consent form [REDACTED] (patient initial)

Patient Signature _____ Date _____

Witness Signature _____ Date _____

Sample Votiva Treatment Record

PATIENT NAME: _____ DOB: _____

TREATMENT: **FORMAV / FRACTORAV**

SKIN TYPE: I II III IV V VI

Sample Informed Consent for Votiva

For Volunteer Patients, Inservice Training

Below is a **sample** Informed Consent Form for regular patients or for volunteer patients for training. Invasix/InMode provides these forms for demonstration only and does not accept any liability for their contents. It is essential that each clinic customize Consent Forms according to treatment procedure, local specific requirements and language.

Patient name: _____

Treatment Sites: _____

I duly authorize _____ to perform the Votiva (FormaV/FractoraV) treatment.

I understand that the Votiva is an RF device used for remodeling of the tissue. It has been explained to me that although RF treatments for vaginal rejuvenation conditions has been very effective there is no guarantee that I will benefit from this treatment. I understand the most common side effects and complications from this treatment are the following:

1. **Pain:** you may experience pain during or after the procedure. If you feel significant discomfort after the treatment, you may use over the counter pain medications after the procedure.
2. **Swelling:** there may be swelling in the treatment areas after the treatment which can last up to one week in duration.
3. **Bruising:** you may experience temporary bruising in the treated area which will subside with healing.
4. **Ecchymosis & Purpura:** you may experience some temporary bruising or purple discoloration in the treatment area which will subside with healing.
5. **Blistering / Bullae:** you may experience some temporary blistering / bullae in the treatment area which will subside with healing.
6. **Burn:** you may experience a burn which can be mild, moderate or severe to different degrees in the treatment area. Minor burns generally heal without difficulty but more severe burns, though rare, can lead to scarring, sensory or pigmentary changes.
7. **Pigmentary changes:** you may experience lightening of the skin which may be temporary or permanent (hypopigmentation). You may experience temporary or permanent darkening of the skin (hyperpigmentation).
8. **Scarring:** the risk of this complication is minimal but it can occur whenever the surface of the skin is disrupted. Strict adherence to all post-operative instructions will minimize the possibility of this occurring.
9. **Allergic reactions:** it is possible to experience an allergic reaction to an anesthetic, topical cream or oral medication.
10. **Herpes Eruption:** it is possible, even with antiviral prophylaxis, to experience a herpes eruption if you are an HSV carrier. Inform your doctor immediately if you experience pain, skin eruptions or blistering post-treatment so that the proper treatment can be initiated.
11. **Infection:** this treatment has the potential to cause skin damage, so infection is possible, including a urinary tract infection. Infection is unlikely, but can be life-threatening if it does occur and is left untreated; signs and symptoms of infection are: redness, fever, pain, pus and swelling. Should infection occur, you should contact your doctor for immediate evaluation and treatment.

It is important that you tell your doctor if you experience any of these side effects.

I understand that clinical results may vary depending on individual factors, including but limited to medical history, skin type, patient compliance with pre/post treatment instructions, and individual response to treatment.

I certify that I have been fully informed of the nature and purpose of the procedure, expected outcomes and possible complications, and I understand that no guarantee can be give as to the final result obtained. I am fully aware that my condition is of cosmetic concern and that the decision to proceed is based solely on my expressed desire to do so.

I confirm that I have informed the staff regarding any current or past medical condition, disease or medication taken. I confirm that I have had an up-to-date normal PAP test and that I have communicated these results.

I consent to the taking of photographs and authorize their anonymous use for the purpose of medical audit, education and promotion.

I certify that I have been given the opportunity to ask questions and that I have read and fully understand the contents of this consent form.

Patient Signature _____ Date _____

Witness Signature _____ Date _____